

FPM-150XA

15inch Industrial Touch Monitor



Features


- Flat Panel Screen, 5mm ultra-thin
- 15inch LED Panel with resistive / capacitive touchscreen
- 300nits Brightness
- HDMI+VGA Signal Input
- Rugged Aluminum Casing
- Front Panel IP65 Level
- Supports VESA Mount / Embedded Mount

Specifications

LCD Display	Display Type:	15inch TFT LED Panel(LED Backlight)
	Aspect Ratio	4:3
	Max. Resolution:	1024x768
	Luminance(cd/m ²)	300-1000nits
	Backlight Lifetime	30,000hrs (typical)
	View Angle(H°/V°)	160/160
Features	Signal Input	VGA+ HDMI
	Colors	16.7M
	Response Time	5ms
Touchscreen	Touch Type	5-wire Resistive Touch/ Capacitive Touch
	Controller	USB interface
Environment	Operating Temperature	-10°C ~ 60°C(14~ 140 °F)(extend temperature optional)
	Storage Temperature	-20°C ~ 70°C(-4 ~ 158 °F)
	Front Panel Protection	IP65 compliant
Mechanical	Dimensions	358.3x282.2x43.5mm, cutout size 337.3x261.2mm
	Weight	N.W. 3.8KG
	Color	Black
	Material	Aluminum
Mount Way	Mount Way	Panel Mount / VESA Mount (75x75mm & 100x100mm)
Input Voltage	Input Voltage	12V 2A
Custom Service	Custom Service	Custom LOGO

Dimensions

Unit: mm



DETAILS



1 Flat screen, 2-10 Touch Points

3 2 Pin Aviation Connector, suitable for industrial environment



4 IP65 Front Panel Waterproof, Dustproof





5 Panel mount / VESA mount

Packing List	Ordering Information
1x FPM-150XA	FPM-1501A: 5-wire Resistive Touch Version
HDMI,VGA Cable (2 choose 1)	FPM-1502A: Projected Capacitive Touch Version
1x Power Adapter	